USER MANUAL
VASTU VISION
VERSION 2
ENGLISH

VASTU VISION VERSION 2

CONTENTS

1. OPENING OF VASTU VISION
    a. Opening Video
    b. Introduction of Vastu
    c. Rigvedic References
    d. Puranic References
    e. Scientific References
    f. Password Access
    g. Main Menu
2. REGISTRATION
3. VASTU PURUSHA CONCEPT
4. VASTU MEASUREMENTS
    a. Aayadi Formulae
    b. Aayadi Positions
5. PERIMETER CONCEPT
6. IMPORTANCE OF DIRECTIONS
7. IMPORTANCE OF YONI
8. LAND SELECTION
9. LAND DIVISION
10. VEEDHI CALCULATIONS
11. NAVAVARGAM (MAHAMARMAM) DETAILS
12. SQUARE FEET OF THE BUILDING ACCORDING TO BUILDING RULES
13. VASTU CALCULATION ON THE BASIS OF THE SQUARE FEET OBTAINED FROM THE SQUARE FEET FINDER
14. VASTU CALCULATION ON THE BASIS OF LENGTH AND BREADTH
15. VASTU CALCULATION ON THE BASIS OF CENT OF THE BUILDING
16. POSITON OF MAIN ROOMS
17. POSITON OF TOILET & BATH ROOM
18. POSITON OF SEPTIC TANK
19. POSITON OF WATER STORAGE TANKS
20. POSITION OF WELL
21. INTERIOR ARRANGEMENTS
22. POSITION OF STAIRCASE
23. POSITION OF GATE
24. POSITIONS OF ROOMS AS PER GOD'S LOCATION
25. POSITIONS OF ROOMS AS PER RASI
26. POSITION OF THULASI & LILY
27. POSITION OF TREES
28. POSITION OF ANIMAL HOUSE
29. USAGE OF YONI
30. OBTAIN PLANS FURNISHED IN THE SOFTWARE (2000+ VASTU PLANS AVAILABLE)
31. OBTAIN THE FINAL REPORT OF THE BUILDING
32. FIND VASTU SUBHA MUHOORTHA

VASTU VISION VERSION 2

33. STONE LAYING MONTHS
34. FIND SUITABLE LOCATION FOR STONE LAYING/ EARTH EXCAVATION
35. HOUSE STARTING TIME
36. MAIN DOOR INSTALLATION
37. PANCHASHIRASSU (FIVE HEAD) INSTALLATION
38. HOUSE WARMING CEREMONY
39. AN IDEAL VASTU PICTURE
40. PLAN DEVELOPMENT ACCORDING TO THE NEEDS OF THE USER
41. CUSTOMIZED VASTU PLAN DEVELOPMENT
42. VASTU CORRECTION FOR AN EXISTING BUILDING – INFORMATION
43. VASTU CORRECTION FOR AN EXISTING BUILDING – CALCULATION
44. ESTIMATE AND SCHEDULE THE WORK
    a. Budget Master Entry (Category)
    b. Budget Activity Entry (Actvity)
    c. Contract Schedule Master Entry
    d. Budget Details Entry (Category)
    e. Estimate Report (Category) – First Page
    f. Estimate Report (Category) – Last Page
    g. Budget Details Entry (Activity)
    h. Estimate Report (Activity) – First Page
    i. Contract Schedule Report Form
    j. Contract Schedule Report
45. FLAT VASTU
46. FIND BREADTH
47. CUSTOMIZED CONVERSION
48. EXIT

VASTU VISION VERSION 2

1. OPENING OF VASTU VISION

To open click Vastu vision Icon from the Desktop

a. Opening Video



b. Introduction of Vastu

Introduction

What is a Vastu? Is it important?

Vāstu is a creative, dynamic and scientific Vedic system of architecture to design building of a tower, mansion or a house developed by the ancient sages to ensure good fortune, peace, prosperity, creativity, health, happiness and harmony for the inhabitants. Vastu is a science. Vastu is the study of five elements i.e. air, water, fire, sky and earth which controls the essentials of a human being. This is not a division of any religious studies. Like Ayurveda, Vastu is also developed for improving the existence of a man. A desire to sleep peacefully in a house has made the sages and scholars of Ancient India to study for years in details about the earth and the components which influence the earth and human alike, has resulted in the formation of a science called Vastu Shastra.

The studies made by the sages is scientifically approved by many modern thinkers like German Earnest Hartmann, Manfred Curry that Vastu shastra – deals with the changes happening in the earth called Geopathic Stress.

Vastu Shastra is mainly important to follow the rules and regulations when building a house and the dilemma that will arise to a man when he does not pursue. Vastu was formed before the development of science on the design of Vastu purusha because during ancient times, no one had the knowledge of science and it was not understood by the people. As a result people of modern age does not understand the inner meaning of vastu and is considering it as blind belief as a result causes many havoc to their life. These people question, "why should we consider vastu while building a house?" We know that a bird always build its nest in a place where it can sleep peacefully or for a plant to grow a fruit it needs the right amount of water and sunlight. On the same way for a man's improvement, it needs pure air and energy, coming from the sunlight is also necessary.

In simple words, while constructing a house, a house needs proper air circulation correct amount of sunlight, correct measurement of natural energy from the slanting position of the earth axis, correct distribution of physical energy and magnetic energy is also necessary. In short, a man's sustenance is considered primarily by his health. His health is considered on his location and in his digestive system. His digestive system is based on his sleep. As a result we have to say that a man's sustenance is based on his sleep in order to have a peaceful sleep a house should be constructed according to rule of Vastu.

Do not show me again | Rigvedic Reference | Puranic Reference | Scientific Reference | Close

c. Rigvedic References


Rigvedic References
Rigvedic References
A dwelling place. The fact that stray and scattered references to the principles of Västu are found in the Vedas indicates the existence of Vãstu tradition much before the Vedic age. Indians knowledge of the art of architecture in hoary antiquity is thus attested by the references to various terms as dhãma, pastya, harmya, etc to mean various kinds of houses in the Rigveda. The Atharvaveda, Atapatha Brãhmaiia, Sãthkhäyana Grhya Sãtra and Mvalayana Grhya Sütra are some of the texts which attest the knowledge of Västu Vidyä though in a primitive stage.
The words harmya1, pastva2, sahasra, sthUna and purä4 are found in the Rigveda. Harmya and pastya denote a mansion, while sahasra, sthUa might refer to a thousand pillared structures and pura refers to a city or a big town. References to dwelling places are clearly stated in some mantras. Rishis says the man who sits, the man who walks or whosoever looks on us, of these we closely shut the eyes, even as we closely shut these houses. Again in the mantra' "I see the paths which gods are won't to travel, innocuous paths made ready by the Vasus. Kastward the flag of dawn hath been uplifted; she hath come hither over the tops of houses."
1 तेपां सं हन्मो अक्षाणि यथेदं हर्म्य तथा। (RV VII.55.6)
2 पस्त्यमसुर हर्यतं गो राविष्कृधि हरये सूर्याय। (RV X.96.11)
3 राजना क्षत्रामहणीयमाना सहस्रस्थूणं बिभथः सह द्वौ। (RV V.62.6)
4 राजमश्मन्मर्धीनां पुरामिन्द्रो व्यास्यत्। दिवोदासाय दाासुषे। (RV IV.30.20)
5 य आस्ते यश्च चरति यश्च पश्यति नो जनः। तेपां सं हन्मो अक्षाणि यथेदं हर्म्य तथा।। (RV VII.55.6)
6 प्र से पन्था देवयानां अदृश्र न्नमर्धन्तो वसुभिरिष्कृतासः। अभूदु केतुरुपसः पुरस्तात् प्रतीच्यागादधि हर्म्येभ्यः। (RV VII.76.2)
Close

d. Puranic References


Puranic References
Puranic References
Matsya Purana contains information about the names of the 18 persons who were well versed in Vastu sastra. Incidentally in Brahmokta Visvakarma Prakãsika9 we are informed of another tradition from lord Sambhu, Garga, Parãsara, Brhadratha, Visvakarma and Vãsudeva. Visvakarma gave this knowledge to the world. Vasudeva propogated this knowledge so that human beings could benefit from this. The works of Vãstu vidya reveal the fact that there were two distinct styles of architecture followed in India, namely Nãgara and Dravida. Nagara belongs to North India and Dravida belongs to South India.
According to a tradition, Visvakarma was the originator of this science as applicable to divine beings and Maya of that relating to demons. It is believed that south Indian tradition was promoted by Maya. The tradition of Visvakarma and Maya are the two living traditions in India. Some scholars are of the view that this Maya contributed to the concept of well and Siva linga to the humanity. He is identified with the Maya of Rãmayanam. This Sãstra gained importance and developed fast giving shape to huge mansions, forts, cities, palaces during the epic period. The description of Ayodhya, construction of setu, city of Indraprastha all stands a testimony to this fact.
Then various works were written and the construction rules were more or less stabilized. We find references to Vãstu ãnti in the Atharvaveda which indicate clearly that to ward off evil effects created by some errors committed during construction, these mantras were pronounced to appease the Vastu Purua and other deities.
8 भृगुरत्रिवसिष्ठश्च विश्वकर्मा यमस्तथा।
वासुदेवोऽनिरुद्धश्च तथा शुकबृहस्पती।। (MP Ch 226)
9 इति प्रोक्तं वास्तु शास्त्रं पूर्व गर्गाय धीमते।
वासुदेवादिषु पुनर्भूलोक भक्तितोऽब्रवीत्।।
(Brahmokta Visvakarma Prakasika)
Close

e. Scientific References

Scientific References

Scientific References

Planetary Energetic Grid Theory

Planetary Energetic Grid Theory falls under the heading of pseudoscience. It operates through geometric patterns called Sacred Geometry. Grids meet at various intersecting points forming a grid or matrix. This is equivalent to the acupressure points on our bodies. These grid points can be found at some of the strongest power places on the planet.

Plato recognized grids and their patterns, devising a theory that the Earth's basic structure evolved from a simple geometric shapes to more complex ones. These shapes became known as platonic solids: cube (4), tetrahedron (3), octahedron (8), dodecahedron (12), icosahedron(20). In Timeaus, Plato associated each shape with one of the elements, earth, fire, air, ether, and water. The Earth's energy grids, from the beginnings of its evolutionary course, has evolved through each of these shapes to what it is today. Each shape, superimposed, one upon the other to create a kind of all encompassing energy field that is the very basis of Earth holding it all together.





Geopatholgy and Geopathic Stress

Geopathology is a science that deals with the study of pathologic (sickening, harmful) energies emitted from the earth that interfere with the healthy functioning of cell metabolism in our body. Geopathic Stress mainly occurs from natural sources, but can be caused, as well, by man-made electro-magnetic devices and applications such as cell phones, computers, power lines, etc.

European Science has researched this topic for nearly a century and provides important insights about the significance on longterm and chronic health challenges.

More.....

Close

Scientific References

Scientific References

Hartmann Net or Hartmann Grid

The Hartmann net consists of naturally occurring charged lines, running North-South and East-West. It is named after Dr. Ernst Hartmann, a well regarded German medical doctor, who first described it soon after the second world war. Alternate lines are usually positively and negatively charged, so where the lines intersect it is possible to have double positive charges and double negative charges, or one positive and one negative charge. It is the intersections that are seen to be a source of potential problems.

The Hartmann Net appears as a structure of radiations rising vertically from the ground like invisible, radioactive walls, each 21 centimetres (9 inches) wide. The grid is magnetically orientated, from North to South they are encountered at intervals of 2 metres (6 feet 6 inches), while from East to West they are 2.5 metres (8 feet) apart. Between these geometric lines lies a neutral zone, an unperturbed micro-climate. This network penetrates everywhere, whether over open ground or through dwellings.

Curry Lines and Lay Lines

Curry lines are approximately 3 meters apart (with variations), diagonally to the poles, east to west.

Ley lines are man-made energy lines, created by stone formations such as stone ships or other ancient archaeological structures. The knowledge of creating Ley lines is supposed to be lost

A Floor plan evaluation with underground water and an earth grid

Pos 1: Masterbed touches the grid only slightly, mostly o.k.
Pos 2: Child's bed needs attention, badly effected
Pos 3 and 4: Living room, chair (3) and sofa (4) should be moved.
Pos 5: Kitchen is kind of o.k., as the time spent there is limited, avoid the seat on the right bench, if possible.

Close

f. Password Access

Enter Username and Password



g. Main Menu



2. REGISTRATION

On the Main Menu

Click 1) Settings → 1) Address Register



Change

Owner's Name, Address

Prepared By

After Changing Click X

3. VASTU PURUSHA CONCEPT

Click 2) Vastu Details → 1) Vastu Purusha Concept


Vastu Vision
Vastu Purusha Concept
Vastu Purusha Concept
East
North
South
West
Vastu Purusha Concept with Scientific Explanation
North Pole
South Pole
As per Hindu Mythology Vastu Purusha is a Monster who was created by Brahma, fell on earth after beaten by the Gods. While he was disturbing the people in the earth, upon request of Shiva and Vishnu, Brahma jumped in the middle and held the monster down. He then asked another forty four Gods to join him and help pin it down. Their 45 positions can be seen on the classic mandala of the Vaastu Grid.
As per Vastu Sastra every 3 months the position of Vastu Purusha changes. What is the basis of this concept? If we think in a scientific way, Earth is the real Vastu Purusha because the seasonal changes which take place in every three months, is due to slanting position of earth at 23.5 degree from its imaginary axis from North to North-East direction. Considering the energy level of five elements, the character of each God is portrayed in Vastu Mandala. For example Brahma stands on center hence we need to avoid construction on center whereas the center is considers as Brahma Statna or Sacred Place. Scientifically it has been proven that the Physical Energy starts from the center of the plot or house hence we should not make any disturbance to that energy to avoid future problems. The same way the God Agni is situated in South-East where more heat (Infra red rays) falls on that place.
If we summarize the concept of Vastu Purusha which started during ancient times since no one had the knowledge of science and it could not have understood by the people if Vastu was explained with scientific approach.
start
User Manual English -...
Vastu Vision
Inbox - Microsoft Out...
Search Desktop
09:51

4. VASTU MEASUREMENTS

Click 2) Vastu Details → 2) Vastu Measurements


Vastu Measurements
Unit of Measurements
Unit of Measurements
Two systems were developed namely YAVAMANA (based on grain size), MANUSHYAPRAMANA (based on human figure) the same is called as ANGULAMANA also. Former was developed taking YAVA (Barley) as the basic unit. Successive octal subdivisions of YAVA yield TILA, LIKSHA, ROMAGRA, RADHADHULI and PARAMANU. In the olden days the units of measurement were the Angula (3/4 of an inch) and Hasta (18 inches) so that 1 Hasta equals 24 Angulas. However the value of Hasta and Angula were different in different regions.
8 Paramanu
8 Trasarenu
8 Romagra
8 Liksha
8 Yooka
8 Tila
8 Yava
3 Angula
8 Pada
12 Angula
2 Vitasthi
24 Angula
4 Hasthas
4 Dhanurmushti
4 Dandhu
1 Trasarenu
1 Romagra
1 Liksha
1 Yooka
1 Tila
1 Yava
1 Angula = 3cm , starts MANUSHYAPRAMANA
1 Parva
1 Vyama
1 Vitasthi
1 Hastha = 72 Cm
1 Hastha = 72 Cm
1 Dandhu= 288 Cm
1 Dandhu= 288 Cm
1 Rajju
1 VYAMA=8 PADAS
1 KAYA=1 VYAMA
1 HASTA=3 PADA
8 ANGULA=1 PADA
3 ANGULA=1 PARVA
1 YAVA=3.75mm
MANUSHYAPRAMANA
(Based on Human figure)
YAVAMANA (Based on grain size)
DIMENSIONAL SYSTEMS
Aayadi Formulae
Aayadi Positions
Close

a. Aayadi Formulae


Aayadi Dimensions
Aayadi Dimensions
In Vaastu Shastra, a set of six formulae called Aayadi are used to work out the Length, Breadth, Perimeter, Area and the Height of the building. According to Vaastu Shastra, it is necessary that one follows the Aayadi formulae strictly in order to experience positive effects within the building.
Aayadi constitutes six formulae Aaya, Vyaya, Yoni, Raksha, Vara and Tithi. The remainder obtained by using these formulae, determines whether it is gain or loss. If it is a gain, then the structure is proportionate and stable and the dimensions are right. However if it is a loss, then it means the dimensions are not right and should be suitably corrected.
Aayadi Formulae
Aaya- is the remainder obtained when Length is multiplied by 8 and divided by 12
Raksha- is the remainder obtained when Length is multiplied by 8 and divided by 27
Vyaaya- is the remainder obtained when Breadth is multiplied by 9 and divided by 10
Yoni- is the remainder obtained when Breadth is multiplied by 3 and divided by 8
Vara- is the remainder obtained when Height is multiplied by 9 and divided by 7
Tithi- is the remainder obtained when Height is multiplied by 9 and divided by 30
Close

b. Aayadi Positions


Aayadi Positions
Aayadi Positions
Fixing Length of Building / Rooms
Aaya and Raksha formuale are used to fix both the Length of the building and of the rooms.
Aaya also known as 'Aadhayam', means income and 'Vyaya' means loss or expenditure. Therefore, the Aaya should always be greater than the Vyaya.
Using the Aayadi formulae it has been concluded that for the Aaya to be more than the Vyaya the length of rooms/building should preferrably be 1.5 times the breadth or at least 1.375 times the width.
This is why we find that sites are generally not square but rectangular with a Length 1.375 - 1.5 times the Breadth. For example: Sites have dimensions of 40 x 60, 30 x 40, 30 x 45, and 50 x 80.
Fixing Breadth of Building / Rooms
The Yoni and Vyaya formulae are used for fixing the breadth of the building.
If the Yoni obtained is an odd remainder, then it is good whereas if it is even, then it is considered bad Yoni.
1, 3, 5 and 7 remainders are considered good Yoni and are associated with the directions East, South, West and North, respectively.
Therefore depending on the direction the building faces, the corresponding Yoni should be used to fix the breadth of the building/rooms.
The Yoni of the first floor should be the same as the Yoni of the ground floor.
When an old house is being renovated, then a new Yoni different from the Yoni of the old house should be used for the renovated house.
More.....
Close


Aayadi Positions-2
Aayadi Positions
Fixing the Dimension Depending on the Orientation
The Yoni formula defining the breadth measurement is useful for buildings that are not oriented to the cardinal directions.
Vastu Shastra clearly emphasizes the importance of orienting buildings towards the four cardinal directions (North, East, South or West) so that they can withstand the impact of monsoon winds and natural energies and also benefit from them
As far as possible, buildings should not be oriented to the intermediate directions.
But in rare situations, if the site faces an intermediate direction, the Yoni formula should be used so that the remainder is 1. This will ensure that the dimensions of the building are such that it can withstand the forces of nature.
Fixing the Height of the Building
The height of the Building can be fixed using the Vara and Tithi formulae.
The height of the First floor should not be more than that of the Ground floor.
Close

5. PERIMETER CONCEPT

Click 2) Vastu Details → 3) Perimeter Concept


Perimeter
Perimiter, Padayoni
Perimeter, Padayoni Concept and Its Scientific Explanation
Many years ago when science was not developed, and when sages and scholars of ancient India was considered as gems, they have studied for years about the movement of the earth, its magnetic properties as well as the five elements that control the human life which brings us changes was also determined, in scientific ways they discovered Perimeter and Padayoni. When we take perimeter of a house or room from specific length and breadth, its magnetic energy as well as the physical energy in the centre is influenced on all the four sides.
Due to the rotation of the earth, Coreolis effect and in the electric current which occurs due to the heating of the core brings the magnetic field from North to South direction. As a result North will be more effective than the South. It is proven that every human cell produces a magnetic field as well as it react to such effect. Due to this nature in human body, by the effect of magnetic energy in earth, it can cause depression or suicidal nature in a human being. In the study of suicides done by the famous psychologist Kelly Posner in Columbia University, America says that the magnetic stone of the earth, can influence the Circadian Rhythm of the clock of the human body and the production of the Melatonin as a result can cause depression and can lead to suicide.
Square Plots
NORTH
WEST
EAST
SOUTH
STRONG ENERGY FIELD
To attain the easy way many people forgets to consider Padayoni (4 times of selected length) and constructs house based on the perimeter and brings about destruction to their life. The Manushyalaya Chandrika states that when selecting the Age of a house, its perimeter and length in regards of Padayoni should not come under Death.
Detail:
Square Plots
In square plot, the energy effect will be very high. In Vastu, such plots are called as 'Samatayatikam' or Equal Plots. Even though it is stated to erect a house based on 'Samatayatikam' but the occupants will not be able to receive that much energy. It is very suitable to build prayer rooms based on this measurement.

Select Details and View the Result

After Viewing Click X

6. IMPORTANCE OF DIRECTIONS

Click 2) Vastu Details → 4) Importance of Directions


Importance of Directions
Importance of Directions
Direction and Its Scientific Reason
In Vastu, direction is of great importance Natural energy, Solar energy, Moon energy, Magnetic energy, Air, Water, these influence while building a house, is shown in the direction. Earth is slanting in its imaginary axis from North to North- Dast direction at 23.5 degree. As a result, a great energy is flowing in that direction. This energy is called as Natural energy. Sometimes the occupants are not able to have that much force of the energy for that reason it is advised to leave vacant space in the North-East direction of a plot. Vastushastra advises us to dig well in the North-East direction to minimize that energy. Since the flow of energy starts from North-East direction and ends in the South-West direction that direction should always much thicker. For that reason in the South-West direction Well or septic tank should not be constructed. To ensure thickness in that direction Overhead water tank can be positioned In that same way the existence of sun's energy to produce vitamin D useful for the human body, and ultraviolet, infrared rays to destroy insects have great influence over the North, East, West directions.
East (1)
North-East (8)
South-East (2)
North (7)
South (3)
North-West (6)
South-West (4)
West (5)
23.5°
AXIS

After Viewing the Information Click X

7. IMPORTANCE OF YONI

Click 2) Vastu Details → 5) Importance of Yoni


Importance of Yoni
Importance of Yoni
IMPORTANCE OF YONI
West face (Dwaja Yoni) is used for all houses. East face (Vrishabha Yoni) is only used for East face direction. North face (Simha Yoni) is used for East face, South faced and North faced houses. For south face (Gaja Yoni) is used for South face and East face.
Vastu shastra advises us to use the yoni for their respective faces.

8. LAND SELECTION

Click 2) Vastu Details → 6) Land Selection


Land Selection
Land Selection
गोमर्त्यैः फलपुष्पदुग्धतरुभिश्चाढया समा प्राक्प्लवा
स्निग्धा धीरखा प्रदक्षिणजलोपेताशुबीजोद्गमा ।
सम्प्रोक्ता बहुपांसुरक्षयजला तुल्या च शीतोष्णयोः
श्रेष्ठा भूरधमा समुक्तविपरीता मिश्रिता मध्यमा । ।
(Mc 1.17)
Perfect Land and Its Scientific Nature
For the selection of the perfect land these specifies should be entertained, large amount of flower plants, fruit trees etc such good trees useful for humans as well as cattle field, should not be any hills or holes in the land, it should be plain and the slope should be towards east direction, Crystal clear sand when walking there should be loud sound from it, when planting a seed it should grow really fast, when a hole is dug and the sand which we take from the hole and filled it in the same hole and there should be more sand, even in summer there should be lots of water. Weather should be neither cold nor hot it should be mild such is a perfect land. Opposite to this is bad. Both good and bad will give you average results.
Select the Shape of the Land:
Square plots
Four sides are equal. It is called as chatushkon. It is useful for house construction. They have maximum magnetic energy and natural energy. Those who live, will always have prosperity and wealth.
Only in a plain land with no hills or holes can there be a equal distribution of Physical energy, Natural Energy and Magnetic energy. Scientifically speaking high load electrical devices or transformers, when earthed, it can produce disturbances to the earth such as the flow of water inside the earth, molten lava's heat, Magnetic fields flow, Geopathic stress will affect the progress of life. Those who achieved based on in these studies are German's Earnest Hartmann and Manfred Curry. Those who live in the opposite of the Hartmann Grid will have nonstop cough and headaches sometime it may causes cancer also. In the same way those who stay in the Curry Nets circle will wake up distressed during night at 2'o clock and 3'o clock due to the change of position in the Net. Vastu was developed before science for the understanding of these movements which was given by the sages to the next generation.

Select Shape of the Land and View the Result

After Viewing Click X

9. LAND DIVISION

Click 2) Vastu Details → 7) Land Division



Enter **Length In Meter** and Select **Go**

Will receive the **Input Data** and **Output Data**

10. VEEDHI CALCULATIONS

Click 2) Vastu Details → 8) Veedhi Calculations



On the **Dimensions of a Side** Box
Enter **Length In Meter** and Select **Go**

On the **Details** Box
Veedhi Measurement and **Anganam** is shown

11. NAVAVARGAM (MAHAMARMAM) DETAILS

Click 2) Vastu Details ➡ 9) Navavargam Details



On the **Dimensions of a Side** Box
Enter **Length In Meter** and Select **Go**
On the **Details** Box
One Padavistaram and **Mahamarmam** is shown

12. SQUARE FEET OF THE BUILDING ACCORDING TO BUILDING RULES

Click 2) Vastu Details ➡ 10) Square Feet Finder



On the **Land Details** Box
Select **Direction of Frontage** from the pull down menu
Enter **Length(m)**
Enter **Breadth(m)**
Select **Direction Of Length**
For common Building Rules Select **Auto** in **Update Value**
Click **Calculate Sqft**
In the **Ground Floor** Box
The result for **Square Feet, Net Length, Net Breadth, Perimeter** And **Cent** is shown.

For future references please remember the measurement shown in the result.To update value manually Select **Manual** In **Update Value** and enter the Values Manually.

13. VASTU CALCULATION ON THE BASIS OF THE SQUARE FEET OBTAINED FROM THE SQUARE FEET FINDER

Click 2) Vastu Details ➡ 11) Vastu Calculation



In the **Vastu Options**
Select **Square Feet** And Click **Go**

VASTU SOFTWARE VERSION 2

Vastu Calculation Form



On the **Details** Pull down menu Select the building or the rooms required for the calculation

On the **Conversion Box**

Enter **Square Feet** . **Appx Perimeter** is shown

On the **Input** Box

Select **Direction(Face)** from the pull down menu

Yoni is shown

Select **Perimeter** on the basis of the **Appx Perimeter** obtained from the **Conversion** Box

Select **Age**

Select suitable **Matches(m.cm)** according to the perimeter required.

The result is shown on the **Matches- Summary**

Select **Length and Breadth** for your building which we obtained from the **Square Feet Finder**

Square Feet, Length details, Breadth Details is obtained

We can also check Veda

On **Star (Vedha) Check**

Select your **Star**

If Vedha Is good , on the **Matches-Summary** box the **Star** would be in green. If there were no match the **Star** would be red.

To view the details Select Preview

To save Select **PDF**

VASTU VISION

To Print the details Select **Print.**

To view plans click **View Plan** (Please refer Contents No. 30)

14. VASTU CALCULATION ON THE BASIS OF LENGTH AND BREADTH



In the **Vastu Options**

Select **Length And Breadth** And Click **Go**



N VERSION 2

On the **Details** Pull down menu Select the building or the rooms required for the calculation
On the **Conversion Box**
Enter **Length &Breadth** . **Perimeter**, **Appx Vastu Perimeter** and **Square Feet** is shown
On the **Input** Box
Select **Direction(Face)** from the pull down menu
Yoni is shown
Select **Perimeter** on the basis of the **Appx Perimeter** obtained from the **Conversion** Box
Select **Age**
Select suitable **Matches(m.cm)** according to the perimeter required.
The result is shown on the **Matches- Summary**
Select **Length and Breadth** for your building which we obtained from the **Square Feet Finder**
Square Feet, Length details, Breadth Details is obtained
We can also check Veda
On **Star (Vedha) Check**
Select your **Star**
If Vedha Is good , on the **Matches-Summary** box the **Star** would be in green. If there is no match the **Star** would be red.
To view the details Select Preview
To save Select **PDF**
To Print the details Select **Print.**

ON VERSION 2

15. VASTU CALCULATION ON THE BASIS OF CENT OF THE BUILDING



In the **Vastu Options**
Select **Cent** And Click **Go**



In the **Vastu Options**
Select **Cent** And Click **Go**
On the **Details** Pull down menu Select the building or the rooms required for the calculation
On the **Conversion Box**
Enter **Cent** . **Appx Perimeter** is shown
On the **Input** Box
Select **Direction(Face)** from the pull down menu
Yoni is shown
Select **Perimeter** on the basis of the **Appx Perimeter** obtained from the **Conversion** Box
Select **Age**
Select suitable **Matches(m.cm)** according to the perimeter required.
The result is shown on the **Matches- Summary**
Select **Length and Breadth** for your building which we obtained from the **Square Feet Finder**
Square Feet, Length details, Breadth Details is obtained
We can also check Veda
On **Star (Vedha) Check**
Select your **Star**
If Vedha Is good , on the **Matches-Summary** box the **Star** would be in green. If there is no match the **Star** would be red.
To view the details Select Preview
To save Select **PDF**
To Print the details Select **Print.**

VASTU VISION

16. POSITION OF MAIN ROOMS

Select 3) Vastu Locations → 1) Position of Main Rooms


Main Rooms
Main Rooms
East
0
10
20
30
North
South
West
Brahmasthan
Master Bedroom
Main Rooms and Its Scientific Explanation
Dimensions of a Side
Length in Meter
30
Go
Master Bedroom
Detail:
Master Bedroom
In a person's life most of the happiness and pleasures will come from a Master Bedroom. In Brihath Samhithe, this room is called as 'Ratikaksha'. Magnetic energy flows from North East to the South West direction. So South West direction is most suitable for the master Bedroom. Since the wind flow is either from West to East or from South West to North East, the air flow from the bedroom in the South West direction will be high. In Master bedroom, plenty of light, music, attractive things, new flowers can bring plenty of bliss to the couples.

On the **Dimensions of a Side** Box
Enter **Length In Meter** and Select **Go**
Select a room from the **Details** Pull down menu
A brief description and the position of the room is shown in the pictorial graph on the left side.

VASTU

17. POSITION OF TOILET & BATHROOM

Select 3) Vastu Location → 2) Position of Toilet & Bathroom


Positions - Toilet
Toilet, Bathroom
East
Toilet, Bathroom Position and Its Scientific Nature
0
10
20
30
Dimensions of a Side
Length in Meter
30
Go
Toilet Bathroom 2nd Position
Toilet, Bathroom
North
Brahmasthan
South
Toilet Bathroom 1st Position
West
Best position for toilet/bathroom is North west direction. During evening the infrared rays of the sun heats the North West direction, which is flowed to all directions. When a toilet/ bathroom is erected in the North West direction, it reduces the heat, which will keep the entire house from the heat. And also the rays from the west direction will always keep the Toilet/bathroom dry. The sun sets infrared rays have the ability to destroy the germs from the toilet. The second position for toilet is given to South east direction. However the Kitchen and Toilet shall not come nearer to each other.
It is the best to set mirror in the north or east walls. When mirror is positioned in the direction, the person who sees his image will be radiant due to the rays from the sunrise. Due to the slippery nature of the toilet, marble should be avoided. For continuous flow of sunrise, a large ventilator should be positioned in the North wall and to dry bathroom faster a small ventilator should be placed in the East or West direction.
Light colour paint is suitable, it helps us to know when it becomes soiled and helps to avoid germs. The flooring of the bathroom should be higher than the earth ground for the wastewater to surge out effortlessly.

On the **Dimensions of a Side** Box
Enter **Length In Meter** and Select **Go**
Select a room from the **Details** Pull down menu
A brief description and the position of the Toilet & Bathroom is given below the diagram.

VASTU

18. POSITION OF SEPTIC TANK

Select 3) Vastu Locations → 3) Septic Tank


Septic Tank
Septic Tank
East
Esanukon
Agnikon
0
4.44
8.88
13.32
17.76
22.2
26.64
31.08
35.52
39.96
North
Building
South
Vayukon
Nirurthikon
West
Septic Tanks and its Scientific Nature
Dimensions of a Side
Length in Meter
40
Go
Scum
Liquid Sewage
Solid Sewage
Septic tank should come in a place where it is 1 or 2 feet apart from the compound wall, where when North side is divided into 9 parts, 3rd division that comes in the North-West direction should be used. Septic tank should be built where all the wastages would be accumulated in the South-West, South or West direction. The top of the tank should be ground level.
Septic Tank should be in the North of the North West direction, because kitchen should always come in the South East direction. In kitchen creative works and in the septic tanks destructive works occur so they should not come together. South East direction should always have a thickness. The infrared rays which goes through a septic tank can heat up the methane which will have the effect of the bomb explosion and annihilate the germs. Septic tank should never be in North East direction. This will contaminate the underground water. And it impure the solar energy and magnetic energy and brings foul stench to the house. No constructions should be done in the Brahma Sthana. It will disturb the physical energy coming from the place.

On the **Dimensions of a Side** Box
Enter **Length In Meter** and Select **Go**
Select a room from the **Details** Pull down menu
A brief description and the position of the Septic Tank is shown below the diagram

VASTU

19. POSITION OF WATER STORAGE TANKS

Select 3) Vastu Locations → 4) Position of Water Tanks


Water Storage
Water Storage
East
0
13.33
26.67
40
Water Tank
Brahmasthan
North
South
West
Dimensions of a Side
Length in Meter
40
Go
Water Tank - Underground
Detail:
Water Tank - Underground
Water storage tanks that are built under the ground or bore wells should be in the North East direction since the flow of water should come from one direction. The vacant space that comes from the construction of bore wells can increase the natural energy. The maximum diameter of the bore well should be 9 inches. The equipment of the bore will minimize the loss of earth well, so South East, South West, West direction are suitable for bore wells. The defects that occur are minimal which can be evaded. If any complexity has occurred in that place, a tank can be positioned in the North East direction or construct a tank on top of a house in the West direction of the South West direction. First pump the water from the bore well to the ground level tank and then store it in the above tank.

On the **Dimensions of a Side** Box
Enter **Length in Meter** and Select **Go**
Select a Tank Type from the **Details** Pull down menu
A brief description and the position of the Water Tanks is shown in the pictorial graph on the left side.

VASTU

20. POSITION OF WELL

Select 3) Vastu Location → 5) Position of Well


Well
Well
East
0
7.5
15
22.5
30
Meena Pisces
Mesha Aries
Vrishabha Taurus
Mithuna Gemini
Karkataka Cancer
Kumbha Aquarius
Karna Sutra
North
South
Makara Capricorn
Simha Leo
Dhanus Sagittarius
Vrishika Scorpio
Tula Libra
Kanya Virgo
West
Dimensions of a Side
Length in Meter
30
Go
Position of Well
Digging of well in the Meena Rasi's position is best. Average positions are Kumbha, Mesha, Vrishabha. While digging a well Karnasutra should be avoided.
Dwajayoni, Vrishabha yoni should be well thought-out while constructing a well.
Favourable stars for digging well are Anuradha, Hasta, Uttara Phalguni, Rohini, Uttarashada, Uttara Bhdrapada, Dhanishta, Satabishak, Magha, Poorvashada, Revathi, Pushya, Mrighashira, Aswini, Moola, Shravana, Kettai. Favourable days are Wednesday, Thursday and Friday. Average days are Monday and Tuesday. Summer period is suitable for digging wells. Since during this time the depth of the water can be determined.
Ilanji, Njaval, Neeradi, Kuvalom, Neem, Konna, Vetti, Kuruthothi has water under them while Jack Tree, Mango Tree, Banyan Tree will not have water under them.

On the **Dimensions of a Side** Box
Enter **Length In Meter** and Select **Go**
A brief description and the position of the Well is given below the picture

VASTU

21. INTERIOR ARRANGEMENTS

Select 3) Vastu Location → 6) Interior Arrangements


Interior Arrangements
Interior Arrangements
Room Type:
Kitchen
Details:
KITCHEN
The door of the Kitchen should open in the clockwise direction. The reason for this is, most of the people are right handed, so when the door is in clockwise direction will help them to open quickly and enter the kitchen without hindrance. High windows should be placed in the east direction. Since the ultra violet rays from the sunrise can
Preview
Print
PDF

Select a Room Type from the **Room Type** Pull down menu

A brief description and the position of the Room is shown below the pictorial graph.

22. POSITION OF STAIRCASE

Select 3) Vastu Location → 7) Staircase


Staircase
Staircase
Staircase and Its Scientific Explanation
1) It should be built in the clockwise direction. When climbing the stair we place our right hand to the handrails it will be more secure and easy. When we place our left hand while climbing down it will be difficult, which will make us to be more careful while coming down.
2) Sick people should stay away from the rooms where stairs starts or ends. The sickness of the people will not diminish while staying in such rooms. Rooms like prayer room or kitchen should not come under the stairs. Because of the movement happening in the stairs the blood pressure of the people staying in the nearby rooms will be high and can cause many problems.
3) Staircase should not be constructed in the front or middle of the house. It destructs the flow of physical energy.

A brief scientific explanation of the Staircase as shown in the picture

23. POSITION OF GATE

Select 3) Vastu Location → 8) Gate Positions



On the **Dimensions of a Side** Box
Enter **Length in Meter** and Select **Go**
Select Direction from the **Road Position of Land** Pull down menu
The position of the Gate & Maximum Gate Width is shown as shown in the picture

24. POSITION OF ROOMS AS PER GOD'S LOCATION

Select 3) Vastu Location → 9) Position of God



On the **Dimensions of a Side** Box
Enter **Length in Meter** and Select **Go**
Select Room Type from the **Detail** Pull down menu
The position of Room is shown inside the diagram as a green square box as selected.

25. POSITION OF ROOMS AS PER RASI

Select 3) Vastu Location → 10) Position - Rasi



On the **Dimensions of a Side** Box
Enter **Length in Meter** and Select **Go**
Select Room Type from the **Detail** Pull down menu and Press **Go**
The position of Room is shown inside the diagram as a green square box as selected.

VASTU

26. POSITION OF THULASI / LILY

Select 3) Vastu Location → 11) Position of Thulasithara / Lilythara


Thulasithara
Thulasithara
East
0
7.5
15
22.5
30
Meena Pisces
Mesha Aries
Vrishabha Taurus
Mithuna Gemini
Kumbha Aquarius
Karkataka Cancer
Makara Capricorn
Simha Leo
Dhanus Sagittarius
Vrishika Scorpio
Tula Libra
Kanya Virgo
North
South
West
Position of Thulasithara and its Scientific Explanation
Dimensions of a Side
Length in Meter
30
Go
Position of Thulasithara
For the position of Thulasithara we have to select either Dwajayoni or 1x1 Padam of the plot used for constructing building.
Lilythara
Even though vastu advises us to plant Lily plant but in view of health issues people now plant Thulasi for the richness of the house. Thulasi should be planted in the North East side of the house. Even though there are different species of Thulasi, Krishna Thulasi is the best. Lighting near the Thulasi is more auspicious.
The significance of Thulasi or Basil is its healing values. It can prevent TB, diseases caused by virus, allergies etc. Thulasi is the best medicine for heart stroke, asthma, headache etc. Since it is planted in the North East direction it purifies the air that circulates inside the house which makes the people much healthier.

On the **Dimensions of a Side** Box
Enter **Length in Meter** and Select **Go**
The position of Well is shown inside the diagram with a green square box.
A brief scientific explanation & importance of Thulasi plant as shown in the picture
Lilly Plant Details


Mullathara
Lilythara
Lilythara
Dwajayoni is used for to plant Lily. When constructing a place for Lily plant, we have to consider that it does not cross Rajju Sutra, Anganamadhya Sutra and Giihamadhya Sutra.

27. POSITION OF TREES

Select 3) Vastu Location → 12) Position of Trees


Tree Details
Tree Positions
Position of Trees and Its Scientific Explanation
Jack Fruit Tree
Ilanji
Guava Tree
Banyan Tee - (Fear of Fire)
East
North
South
West
Jack Fruit Tree
Nag Tree
Ithi
Mango Tree
Ambhazham
Athi - (Stomach Diseases)
Tamerind
Athi
Arica Nut
Anjili
Ithi - (Problems)
Cocunut Tree
Ezhilampola
Banyan Tree
Koovalam
Anjili
Tree Reference
The trees signified in red are not good for plantation in certain places. Additionally Kanjiram is not suitable for any place.
Lily, Thulasi, Chembakam, Jasmine and Vettila kodi is good to be planted anywhere near the house. Moreover Kuvalam, Kumizh etc is good to be planted anywhere in the plot. Anjili is good to be anywhere between SE to West directions.
Every seasons is suitable for the growth of Ilangi and Banyan tree. Its leaves has the ability to eradicate poison. Banyan Tree and Ezhilampola has the ability to cleanse the air. Nagtree, Jacktree is appropriate to be grown in the North direction. If the North side of the plot is low, it can help to accumulate water and reduce cold during winter solstice. Trees are helpful to demolish wastages and generate pure air. Kanjiram and certain plants can make the underground water poisonous.
When tall trees are grown in the South and West direction, it can bring strength and happiness to the people. There should not be plentiful trees in the North and East directions. Since it obstruct the rays of the sunrise and also obstructs the flow of air. The trees in the South and West directions can prevent heat.

A brief scientific explanation & Position of Trees as shown in the picture.

Tree References


Tree References
Tree References
Plants and trees having great importance in nature as well as in human life. They consume many harmful gases from the air to make their food and thus clean the environment. Also they release certain gases through breathing. However, the nature of gases released by different trees and plants differs.
Vaastu Sastra guides us as to what types of plants and trees should be planted around a dwelling place to enjoy their positive properties.
The trees should be away from the building so that the shadow of any tree does not fall upon the house from 9.00 am to 3.00 pm. Perhaps, it may obstruct the beneficial cosmic radiations found in hot sun rays.
पूर्वस्यां वकुलो वटश्च शुभदोऽवाच्यां तथोदुम्बर-
श्चिञ्चा चाम्बुपतौ तु पिप्पलतरुः सप्तच्छदोऽपि स्मृतः
कौबेर्यां दिशि नागसंज्ञिततरुः प्लक्षश्च संशोभनाः
प्राच्यादौ तु विशेषतः पनसपूगौ केरचूतौ क्रमात् २२
अश्वत्थोऽग्निभयं करोति बहुधा प्लक्षः प्रमादप्रदो
न्यग्रोधः परशस्त्रपातमुदरव्याधिं तथोदुम्बरः
सम्प्रोक्तप्रतिदिक्स्थितास्त्वपि च ते चान्ये सुवर्णात्मका-
श्छेद्या मन्दिरतस्तरूच्चयुगसीमाभ्यन्तरस्था यदि २३
Manusyalaya Chandrika Ch1.Verse 22:23
Close

28. POSITION OF ANIMAL HOUSE

Select 3) Vastu Location → 13) Position of Animal House


Animal House
Animal House
Animal House's Position and its Scientific Explanation
East
North
Building
South
West
The best position to construct animal houses is the outside of the house in the North West directions. Sunset's infrared rays can destroy the germs, so it is advised to build animal or bird houses in this direction to avoid germs.

A brief scientific explanation of Animal House is given as shown in above picture.

29. USAGE OF YONI

Select 3) Vastu Location → 14) Usage of Yoni



A brief scientific explanation of Usage of Yoni is given as shown in above picture.

30. OBTAIN PLANS FURNISHED IN THE SOFTWARE

Select 4) Vastu Plans → 1) Vastu Plans



On the **Length, Breadth box**
Select **Direction**
Select **Selected Length And Breadth**
On the **Plan Selection** Box
Select the Rooms required by the User. The full form for the abbreviated letters are shown below
By selecting the rooms an already installed plan is shown in the **Plan View**
To view the details Select Preview
To save Select **PDF**
To Print the details Select **Print.**

VASTU VI

Vastu Plan Print-Out - Page 1



VASTU

Vastu Plan Print-Out - Page 2



VASTU

Vastu Plan Print-Out - Page 3


Final_Plan_Report_Sft
10 January 2013
10:18 AM
Vastu Result
Owner's Name, Address: Leon, Paradise, Trivendrum
Prepared By: Aneesha, Trivandrum
Merits due to the House Direction
SOUTH DIRECTION
Use of this direction requires more caution. In this direction the vacant space should be less and the construction should be done in a straight direction. This direction creates more gentle air into the house. This air can reduce illness and cure diseases for the people living in this house.
They are strong opinionated on their values. For the societies of women, this direction is more useful.
Merits in short
1) They will have stong body.
2) They will achieve greatness.
3) For industries and women's societies, it is ideal.
4) Acquire great wealth.
5) Achieve good name.
6) To rule among the high recruits.
Vastu Vision, Customer Care TVM : 09744866024
Designed by Brains Software Developments
Page: 3
No Filter

VASTU

Vastu Plan Print-Out - Page 4

Final_Plan_Report_Sft
Vastu Result
10 January 2013
10:18 AM
Owner's Name, Address: Leon, Paradise, Trivandrum
Prepared By: Aneesha, Trivandrum
Position of Master Bedroom
MASTER BEDROOM IN THE SOUTH - WEST DIRECTION
In our whole life we spend a lot of time in our bedroom so that room should represent happiness and wholeness to us. In Brihath Samhitha this room is also called as 'Ratikaksha'.
The bedroom of the owner should be in the South-West direction of the building. In regular manner the air travels either from the West to East or from South-West to North-East. So in the bedroom there will be a great deal of air circulation.
Position of Kitchen
KITCHEN IN THE NORTH - EAST DIRECTION
Due to our landscape the kitchen is also constructed in the North-East direction of the building. From the other rooms this room should be kept clean and there should be a lot of air supply. It is advisable if there is a window in the east direction for the sun's rays to enter the room. Since there is an abundant air circulation there will be no bad smell or smoke in the kitchen.
Position of Prayer Room
The thickness of the wall in the plan is 24cms. To rectify the perimeter of the rooms cupboard is used. The plan uses the correct measurement using Padayoni for the Master Bedroom, Kitchen and Prayer Room. So other measurements for the rest of the rooms can be changed suitably.
Vastu Vision, Customer Care TVM : 09744866024
Designed by Brains Software Developments
Page: 4
No Filter

31. OBTAIN THE FINAL REPORT OF THE BUILDING

Select 4) Vastu Plans → 2) Vastu Final Report



On the **Final Printing Options**
Select **Slope of the Land**
Select **Direction of the Building**
Select **Perimeter**
Select **Kitchen**
Select **Master Bedroom**
Select **Prayer room**
Select **Well**
Click **Preview** to view all the niceties of the selected rooms and direction
To save Select **PDF**
To Print the details Select **Print.**

Vastu Plan Print-Out - Page 1 of 4

Final_Report
VASTU RESULT
10 January 2013
10:20 AM
Owner's Name, Address: Leon, Paradise, Trivandrum
Prepared By: Aneesha, Trivandrum
PERIMETER OF THE BUILDING
According to Vastu Shastra the Perimeter of the building should be 57 Kol 16 Angula and the Direction of the building is East and Direction Value is 5 .The expense of the building is calculated on the basis of Vyaya i.e. 5 and the Income is calculated on the basis of Aaya i.e. 5 Kol 8 Angula. The Age of this building is Boyhood. On Krittika Nakshatra reaching at 20 nazhika on Shukla Paksha in Dwadasi Tithi and 20 Nazhika (Gathi) then Karana is Bava on Saturday of the week and its Pakshanthara Vyaya is 9. The final result of the building is Good.
SLOPE OF THE EARTH
According to Vastu Shastra the merits of the slope in the Earth is given below..
North
Gajaveedi plot is called when the North side is low and South side is high. People living in this plot will be rich and will prosper 100 more years.
POSITION OF THE KITCHEN
KITCHEN IN THE SOUTH - EAST DIRECTION
Kitchen should be in the Agnicorner. That means the kitchen should be in the South-East direction according to Vastu Shastra. From the other rooms this room should be kept clean and there should be a lot of air supply. It is believed that food is prepared fast on this direction than the other directions taken. Morning Sun's first rays will fall upon the room if it is in the South-East direction. It is preferable if there is a window in the exact East direction of the kitchen. Compared to other rooms kitchen requires a lot of light. Since there is an abundant air circulation there will be no bad smell or smoke in the kitchen.
Vastu Vision, Customer Care TVM : 09744866024
Designed by Brains Software Developments
Page: 1
No Filter

32. FIND VASTHU SHUBHA MUHOORTHA

Select 5) Muhoortha → 1) Vastu Muhoortha Calendar



Enter **Start Date**
Enter **End Date**
Click **Search**
Subha Dates are shown in the **Dates Available**
Select **A date** from the **Dates Available**
Summary for the selected date is shown.

33. STONE LAYING MONTHS

Select 5) Muhoortha → 2) Stone Laying Months


Stone Laying Months
Stone Laying Months
Stone Laying Months
East House
Dwaja Yoni
West Face
This only considers the Vastu. So to know the Date and Star please consider an Astrologer.
North House
Gaja Yoni
South Face
South House
Simha Yoni
North Face
West House
Vrishaba Yoni
East Face
Stone should be laid in the position of Paduka. Stone should be laid on the 10th Rasi of the month of House Starting.
Favourable time for laying stone for the East facing houses are in Chaitra Month of Sravana, and Mesha month of Simha. Karkata is Average.
Favourable time for laying stone for the South houses are in the month of Chittira of Karthika and Mrigasheersha and in the month of Mesha of Tula ,Vrischika.
Favourable time for stone laying for West houses are in the month of Chaitra of Falguna and Mrigasheersha and Mesha month of Makara and Kumbha.
Favourable time for laying stone for North houses are in the Chaitra month of Falguna and Vaisaka and Mesha month of Mesha and Vrishaba.

A brief explanation Stone Laying Months is given as shown in above picture.

34. FIND SUITABLE LOCATION FOR STONE LAYING / EARTH EXCAVATION

Select 5) Muhoortha → 3) Stone Laying – Scientific Approach


Stone Laying Location
Stone Laying Location
East
Stone Laying Locations
0
7.5
15
22.5
30
Meena Pisces
Mesha Aries
Vrishabha Taurus
Mithuna Gemini
Kumbha Aquarius
Karkataka Cancer
Makara Capricorn
Simha Leo
Dhanus Sagittarius
Vrishika Scorpio
Tula Libra
Kanya Virgo
North
South
West
Dimensions of a Side
Length in Meter
30
Go
North Pole
South Pole
Month:
Simha
Every 3 months Vastu Purusha will change its position in clockwise direction. Even though Astrology recommends us to lay foundation on the 10th Rasi of the month of House Starting but Vastu tells us to lay stone on the position of the Vastu Purusha's Genitals. It is believed that the house is born from the Vastu Purusha who is the father and Earth as the mother. In Rasis of the Corner (Kanya, Dhanus, Meena, Mithuna), the Vastu Purusha would be asleep so laying of stone should not done during these months is advised us by Vastu. What is its Scientific nature? Vastu Purusha is originally the Earth in which we live. The movement of Vastu Purusha is due to the rotation of the earth in its axis. Natural Energy, Physical energy and Magnetic Energy happens in the corner of the Vastu. That is the reason when taking corners it will disturb the energy and bring awful effects to the house, so that is why it is said that the Vastu Purusha is asleep in the corner months . When considering Astrology it is alleged to take 10th Rasi from the Lagnam it comes in the middle of the 3 rasis of the genitals of the Vastu Purusha. So we can presume that Vastu as well as Astrology are saying the same.

On the **Dimensions of a Side** Box
Enter **Length In Meter** and Select **Go**
Select **Month**
The location for the Stone Laying/ Earth Excavation is shown as **Red dot** in the picture of the Vastu Purusha Mandala and also the position of the Vastu Purusha Is also Shown

35. HOUSE STARTING TIME

Select 5) Muhoortha → 4) House Starting Time


Griharambham
House Starting Muhoorta
HOUSE STARTING TIME
This only considers the Vastu. So to know the date and star please consider Astrologer.
Favourable stars are Uttara Bhadrapada, Uttara Phalguni, Hasta, Anuradha, Pushya, Revati, Uttarashada, Rohini and Mrigashira.
Average stars are Swati, Chitra, Moola, Shravana, Punarvasu, Dhanistha, Satabishak. The rest of the stars are unfavorable.

A brief explanation of Stars for House Starting is given as shown in above picture.

36. MAIN DOOR INSTALLATION

Select 5) Muhoortha → 5) Main Door Installation

Main Door Installation
Main Door Installation
Main Door Installation
This only considers the Vastu. So to know the date and star please consider an Astrologer.
1) Favorable days – Monday, Wednesday, Thursday, Friday or Sunday.
2) Days with any favorable stars given below can be used for installing the main doors.
Stars are : Ashwini, Rohini, Mrigashira, Ardra, Punarvasu, Pushya, Uttara Phalguni, Hasta, Swati, Anuradha, Uttarashada, Shravana, Dhanistha, Satabishak, Uttara Bhadrapada and Revati.
Before the installation of the doors, frames are first installed.

A brief explanation of Days & Stars for Main Door Installation is given as shown in above picture.

37. PANCHASHIRASSU (FIVE HEADS) INSTALLATION

Select 5) Muhoortha → 6) Panchashiirassu – Scientific Approach


Panchashirassu
Panchashirassu
Installation of Panchashirassu (Five Heads) and Its Scientific Explanation
East
Elephant
North
Pig
Tortoise
Baffalo
South
Lion
West
During Grihapravesha (House Warming), to eradicate Dosam it is a common ceremony to perform called Panchashirassu installation. It is done so as to minimize /eradicate the Dosam that is caused by the construction of a wall or tower in the house. The heads of Elephant, Tortoise, Buffalo, Pig and Lion in a small form is either made in gold (1½ mg) or Pacha loha (Five metals) which is placed in a Copper casket and positioned in their appropriate places to eradicate dosas. Scientifically, it is said that when walls are constructed in the Marmam it can destruct the flow of physical energy coming from the centre which can cause dilemma, the gold and Copper can help to prevent such dosas. For every religion, the rituals for Grihaarambha (House Starting) are different. This will increase the self-confidence of the owner and bring prosperity to the house.

A brief scientific explanation of Panchashirassu Installation is given as shown in above picture.

38. HOUSE WARMING CEREMONY

Select 5) Muhoortha → 7) House Warming Ceremony


Grihaprevesha
House Warming
House Warming (Griha Pravesha) Ceremony
This only considers the Vastu. So to know the date and star please consider an Astrologer.
Month Reference
Favorable stars are Rohini, Mrigashira, Uttara Phalguni, Chitra, Anuradha, Uttarashada. Average stars are Ashwini, Punarvasu, Pooyam, Pushya, Swati, Shravana, Dhanistha, Satabishak.
The women in the household should hold an illumination and walk in front during the muhurta and the rest of the family should follow lead. Men should place their right leg and women should place their left leg while entering the house.
For every religion, the rituals for Grihapravesha (House Warming) are different, it will increase the self confidence of the owner and bring affluence to the house.

A brief explanation of House Warming Ceremony is given as shown in above picture.

Click on **Month Reference** to view the **Month Reference Form**

Month Reference Form



Malayalam Era	In Malayalam	Gregorian Calendar	Tamil Calendar	Saka Era	Zodiac
Simha	ചിങ്ങം	August - September	Aavani	Sravan-Bhadrapada	Leo
Kanya	കന്നി	September - October	Purattasi	Bhadrapada - Asvina	Virgo
Tula	തുലാം	October - Novemeber	Aippasi	Asvina - Kartika	Libra
Vrishika	വൃശ്ചികം	Novemeber - Decemeber	Karthigai	Kartika - Agrahayana	Scorpio
Dhanu	ധനു	December - January	Margazhi	Agrahayana - Pausa	Sagittarius
Makara	മകരം	January - February	Thai	Pausa - Magha	Capricon
Kumbha	കുംഭം	February - March	Maasi	Magha - Phalguna	Aquarius
Meena	മീനം	March - April	Panguni	Phalguna - Chaitra	Pisces
Mesha	മേടം	April - May	Chithirai	Chaitra - Vaisakha	Aries
Vrishabha	ഇടവം	May - June	Vaikasi	Vaisakha - Jyaistha	Taurus
Mithuna	മിഥുനം	June - July	Aani	Jyaistha - Asada	Gemini
Karkitaka	കർക്കടകം	July - August	Aadi	Asada - Sravana	Cancer

39. AN IDEAL VASTU PICTURE - REFERENCE

Select 6) Plan development → 1) An Ideal Vastu Picture



40. VASTU PLAN DEVELOPMENT ACCORDING TO THE NEEDS OF USER

Select 6) Plan development → 2) Vastu Plan Development



On the **Input Box**
Select **Detail**
Select **Length**
Select **Length, Breadth**
Select **Position**
Click **Update to Plan**
A **Summary** for the selected length and breadth is shown

Repeat this process when you have selected all the rooms required

A picture for the positions of the rooms in the building is shown as well as the details of the building is shown in the preview



To print Select **Print**

VERSION 2

41. CUSTOMIZED VASTU PLAN DEVELOPMENT

Select 6) Plan development → 3) Customized Vastu Plan



Select **Length, Breadth**

Summary of the building is shown

VASTU

42. VASTU CORRECTION FOR AN EXISTING BUILDING - INFORMATION

Select 7) Vastu Correction → 1) Vastu Corrections - Information


Vastu Corrections
Vastu Corrections
Vastu Corrections
First of all, the perimeter of the house should be corrected. When the length or breadth is in the age of Death, with the help of the software it can be corrected on the Padayoni and the rest of the area can be measured as sit-out. Or else in the rest of the measurement a 2 feet wall has to be constructed and filled with mud.
The positions of the Master Bedroom, Kitchen, Prayer Room, Septic Tank, Toilet, Bathroom, Well, Borewell, Pond, Water Tanks, Staircase, Gate should be in their appropriate locations. For e.g. : When the Bedroom is in the North East direction, it will increase the B.P of the couples and they will quarrel at all times.
If there is trouble coming from the main rooms like Kitchen, Prayer room we have to establish that the perimeter does not come in the age of Death and if it does consider our software and rectify/correct the perimeter by using sofas, cupboards etc. Additionally, we can perform Panchashirassu (Five Head) installation and if it is not a possibility, a Copper circle can be positioned in a hole in the room or under the bed. By doing this, the harms occurred by Geopathic stress can be avoided.
Make sure that the kitchen and Pooja rooms comes in the corner of the house. There should be plenty of doors and windows for the proper circulation of air and light.
Before Grihapravesha (House Warming Ceremony), it is advised to consult the rituals of their own spiritual from their priests. Broken Glass or Negative influencing pictures should not be inside the house. Swastik sign is good to derive positive energy inside the house.

43. VASTU CORRECTION FOR AN EXISTING BUILDING - CALCULATION

Select 7) Vastu Correction → 2) Vastu Corrections - Calculation



On the **Input** Box
Enter **Length**
Enter **Breadth**
Perimeter, Kol, Viral, Square Feet, Feet and **Inch** is shown
To see if the details in the **Input** box are according to Vastu, Click **Check Vastu Status**
The nearest Vastu result is shown in the **Matches- Summary.**

44. ESTIMATE & SCHEDUELE THE WORK

a) Budget Master

Select 8) Estimation & Schedule → 1) Budget Master



ID	Trade/Item	Type/Size	Category	Unit	Rate/Amou
1	Mason - 1	Main	Labour	EA	500
2	Mason - 2	Assistant - 3 Nos	Labour	EA	350
3	Electrician - 1	Main	Labour	EA	500
4	Electrician -2	Assistant - 3 Nos	Labour	EA	350
5	Helper	Main - 5 Nos	Labour	EA	300
6	Supervisor	Main	Labour	EA	800
7	Stone	Normal	Material	LRY	2000
8	Sand	River	Material	LRY	15000
9	Cement	Normal	Material	PKT	250
10	Bricks	Normal	Material	EA	8
11	Metal (Chips)	Normal	Material	LRY	5000
12	MS Steel Bar	Different Dia	Material	KG	500
13	Wood	Jack Fruit	Material	CUM	200
14	Vitrified Tiles	Normal	Material	SFT	75
15	Ceramic Tiles	Normal	Material	SFT	60
16	Granite	Normal	Material	SFT	100
17	Carpentry	Lumpsum	Subcontract	EA	25000
18	Plumbing	Lumpsum	Subcontract	EA	45000
19	Electrical	Lumpsum	Subcontract	EA	50000
20	Painting	Lumpsum	Subcontract	EA	30000
21	Aluminium Fabn	Lumpsum	Subcontract	EA	25000
Total					21

You can enter the unit or change the details according to your budget

b) Budget Activity Master

Select 8) Estimation & Schedule → 2) Budget Activity Master



ID	Item	Type/Size	Unit	Rate/Amount
1	Earth work excavation in hard soil for foundation and depositing with initial lead and lift etc complete.	Unit Rate	M3	910
2	Cement concrete 1:4:8, using 40mm Brocken stone for bed Concrete etc complete.	Unit Rate	M3	2900
3	Random Ruble in c:m 1:8 for foundation and basement etc complete.	Unit Rate	M3	1600
4	Bricks work in c:m 1:8 with wire cut bricks of size 22 x 11 x7cm for super structure etc complete.	Unit Rate	M3	2800
5	Jack wood frames of doors, windows and ventilator etc complete.	Unit Rate	DM3	520
6	Reinforced cement concrete 1:2:4 using 20mm metal for lintal,sunshade, Beams etc complete.	Unit Rate	M3	44
7	Reinforced cement concrete 1:2:4 using 20mm metal for roof slab etc complete.	Unit Rate	M3	46
8	Reinforcement for RCC work bend tied and placed in position as for Specifications etc complete.	Unit Rate	KG	5300
9	Providing 12mm diameter iron Rod for windows and ventilator etc complete.	Unit Rate	KG	58
10	Flooring with cement concrete 1:4:8. 75mm thick using 40mm metal etc complete.	Unit Rate	M3	3200
11	Plastering with cm 1:3, 9mm thick under side of RCC slab etc complete.	Unit Rate	M2	1050
12	Plastering with cm 1:4, 12mm thick in and out side wall etc complete.	Unit Rate	M2	1350
13	Plastering with cm 1:4, 12 mm thick over to roof slab etc complete.	Unit Rate	M2	1600
14	Jack wood fully panneled shutters for Doors etc complete.	Unit Rate	DM2	530
Total				24

You can change the works and rates of the project undertaken.

c) Contract Schedule Master

Select 8) Estimation & Schedule → 3) Contract Schedule Master

ID	Work Description
1	Plan & Approval
2	Earth Excavation
3	Basement / Foundation
4	Bricks Works
5	Concrete
6	Plastering
7	Wood Works
8	Electrical
9	Plumbing
10	Flooring
11	Painting

You can add or delete the works described in the Work Description

d) Budget Details Entry (Category)

Select 8) Estimation & Schedule → 4) Estimation & Schedule


Budget Details
Budget Details
Go to
Preview Report
Print Report
Word
PDF
Schedule Report
Save and New
Close
Project Master
Project Details
Project No: B-0001
Project Name: Building for Leon
Project Start Date: 01-Jul-12
Project End Date: 30-Jun-13
Owner Details
Owner Name: Leon
Owner Address: Paradise, Trivandrum
Square Feet: 1200
Item Mode
Activity Mode
Labour
Material
Sub Contract
Schedule
Material | Type / Size | Unit | Rate | Qty | Cost
Stone | Normal | LRY | 2000 | 9 | 18000
Sand | River | LRY | 15000 | 8 | 120000
Cement | Normal | PKT | 250 | 250 | 62500
Bricks | Normal | EA | 8 | 1500 | 12000
Metal (Chips) | Normal | LRY | 5000 | 4 | 20000
MS Steel Bar | Different Dia | KG | 500 | 1300 | 650000
Wood | Jack Fruit | CUM | 200 | 1.7 | 340
Vitrified Tiles | Normal | SFT | 75 | 8000 | 600000
Ceramic Tiles | Normal | SFT | 60 | 200 | 12000
Record: 1 of 1
No Filter
Search

In this all the details of the project is shown. To change the details which have been changed before. Click on the items pull down menu and select the item the change is shown

We can **Preview, Print, Down Load to Word & PDF** and **Save** the details of the project

VASTU

e) Estimate Report (Category) – First Page


Building Estimate
BUILDING ESTIMATE
Project Name: Building for Leon
Square Feet: 1200
Owners Name: Leon
Owners Address: Paradise, Trivandrum
Labour
Trade | Category | Unit | Rate/Day | Tot Days | Net Amount
Mason - 1 | Main | EA | 500 | 50 | 40000
Mason - 2 | Assistant - 3 Nos | EA | 350 | 50 | 25000
Electrician - 1 | Main | EA | 500 | 50 | 17500
Electrician - 1 | Main | EA | 500 | 50 | 25000
Electrician -2 | Assistant - 3 Nos | EA | 350 | 30 | 15000
Helper | Main - 5 Nos | EA | 300 | 30 | 10500
Supervisor | Main | EA | 800 | 50 | 15000
Total Amount 148000
Material
Material | Type/Size | Unit | Rate | Tot Qty | Net Amount
Stone | Normal | LRY | 2000 | 9 | 18000
Sand | River | LRY | 15000 | 8 | 120000
Prepared By :
Signature :
Date :
Agreed By :
Signature :
Date :
Page 1 of 3
Page: 1
No Filter

f) Estimate Report (Category) – Last Page


Building Estimate
BUILDING ESTIMATE
Project Name: Building for Leon
Square Feet: 1200
Owners Name: Leon
Owners Address: Paradise, Trivandrum
Painting | Lumpsum | EA | 30000 | 30000
Aluminium Fabn | Lumpsum | EA | 25000 | 25000
Total Amount 175000
Grand Total: 1825340
Total in Words: Indian Rupees Eighteen Lakh Twenty Five Thousand Three Hundred Forty only
Prepared By :
Signature :
Date :
Agreed By :
Signature :
Date :
Page 3 of 3
Page: 3
No Filter

g) Budget Details Entry (Activity)


Budget Details
Budget Details
Go to
Preview Report
Print Report
Word
PDF
Schedule Report
Save and New
Close
Project Master
Project Details
Project No: B-0001
Project Name: Building for Leon
Project Start Date: 01-Jul-12
Project End Date: 30-Jun-13
Owner Details
Owner Name: Leon
Owner Address: Paradise, Trivandrum
Square Feet: 1200
Item Mode
Activity Mode
Activity
Schedule
Sl No | Activity Description | Type / Size | Unit | Rate | Qty | Cost
1 | Earth work excavation in hard soil for foundatic | Unit Rate | M3 | 910 | 55 | 5005
2 | Cement concrete 1:4:8, using 40mm Brocken st | Unit Rate | M3 | 2900 | 18 | 52200
3 | Random Ruble in c:m 1:8 for foundation and ba | Unit Rate | M3 | 1600 | 48 | 76800
4 | Bricks work in c:m 1:8 with wire cut bricks of siz | Unit Rate | M3 | 2800 | 48 | 134400
5 | Jack wood frames of doors, windows and ventil | Unit Rate | DM3 | 52 | 1627 | 84604
6 | Reinforced cement concrete 1:2:4 using 20mm | Unit Rate | M3 | 4.4 | 6800 | 29920
7 | Reinforced cement concrete 1:2:4 using 20mm | Unit Rate | M3 | 4.6 | 13220 | 60812
8 | Reinforcement for RCC work bend tied and pla | Unit Rate | KG | 53 | 1870 | 99110
9 | Providing 12mm diameter iron Rod for window | Unit Rate | KG | 58 | 436 | 25288
Record: 1 of 1
No Filter
Search

h) Estimate Report (Activity) – First Page


Building Estimate
BUILDING ESTIMATE
Project Name: Building for Leon
Square Feet: 1200
Owners Name: Leon
Owners Address: Paradise, Trivandrum
Sl No | Description | Type | Unit | Rate | Qty | Cost
1 | Earth work excavation in hard soil for foundation and depositing with initial lead and lift etc complete. | Unit Rate | M3 | 910 | 55 | 5005
2 | Cement concrete 1:4:8, using 40mm Brocken stone for bed Concrete etc complete. | Unit Rate | M3 | 2900 | 18 | 52200
3 | Random Ruble in c:m 1:8 for foundation and basement etc complete. | Unit Rate | M3 | 1600 | 48 | 76800
4 | Bricks work in c:m 1:8 with wire cut bricks of size 22 x 11 x7cm for super structure etc complete. | Unit Rate | M3 | 2800 | 48 | 134400
5 | Jack wood frames of doors, windows and ventilator etc complete. | Unit Rate | DM3 | 52 | 1627 | 84604
6 | Reinforced cement concrete 1:2:4 using 20mm metal for lintal,sunshade, Beams etc complete. | Unit Rate | M3 | 4.4 | 6800 | 29920
Prepared By :
Signature :
Date :
Page 1 of 5
Agreed By :
Signature :
Date :
Page: 1
No Filter

i) Contract Schedule Report Form

Select 8) Estimation & Schedule → 5) Contract Schedule Report



The progress of each project is obtained

Select **Project**

Select **Start Date** of the Project

Click **Preview**

To Print the details Select **Print.**

j) Contract Schedule Report


Project_Schedule
Contract Schedule
Project Name: Building for Leon
Square Feet: 1200
Owners Name: Leon
Owners Address: Paradise, Trivandrum
Work Description | Dur | Start Date | End Date
Plan & Approval | 28 | 01-Jul-12 | 28-Jul-12
Earth Excavation | 16 | 16-Jul-12 | 01-Aug-12
Basement / Foundation | 23 | 30-Jul-12 | 22-Aug-12
Bricks Works | 14 | 23-Aug-12 | 06-Sep-12
Concrete | 10 | 01-Jul-12 | 26-Dec-12
Plastering | 30 | 27-Dec-12 | 26-Jan-13
Wood Works | 30 | 25-Jul-12 | 24-Aug-12
Electrical | 14 | 27-Jan-13 | 10-Feb-13
Plumbing | 14 | 30-Jan-13 | 13-Feb-13
Flooring | 14 | 15-Feb-13 | 01-Mar-13
Painting | 7 | 01-Mar-13 | 10-Mar-13
Prepared By :
Signature :
Date :
Agreed By :
Signature :
Date :
Page 1 of 1
Page: 1
No Filter

45. FLAT VASTU

Select 9) Miscellaneous → 1) Flat Vastu


Flat Vastu
Flat Vastu
Flat Vastu
All the rules followed for the construction of a home is to be followed here.
To choose a flat which was already constructed
The shape should be either square or rectangle. The position of lift should not face the main door of the flat. Make sure that the kitchen and the toilet does not come together. Make sure that all the main rooms are in their perfect positions/directions.
Make sure that there are enough doors and windows for the regular distribution of air and light.
If there is trouble coming from the main rooms like Kitchen, Prayer room we have to ascertain that the perimeter does not come in the age of Death and if it does, consider our software and rectify/correct the perimeter by using sofas, cupboards etc. Moreover we can perform Panchashirassu (Five Head) installation and if it is not a possibility, a Copper circle can be placed in a hole in the room or under the bed. By doing this, the problems occurred by Geopathic stress can be avoided.
Before Grihapravesha (House Starting Ceremony), it is advised to consult the rituals of their own spiritual from their priests. Broken Glass or Negative influencing pictures should not be inside the house. Swastik sign is good to derive positive energy inside the house.
Make sure that the Kitchen and Prayer Rooms comes in the corner of the house. There should be plenty of doors and windows for the proper circulation of air and light.

46. FIND BREADTH

Select 9) Miscellaneous → 2) Find Breadth



If user wants to know the breadth where length is known then

Select **Length & Direction**

Result will be shown as per the parameter.

47. CUSTOMIZED CONVERSION

Select 9) Miscellaneous → 3) Customized Conversion



Select **Options** from drop-down list and set the parameter
Enter Kol & Viral to the respective fields and press **P_Mtr** to get the Perimeter.
Enter Perimeter to the respective field and press **Kol_Viral** to get the Kol & Viral.

VASTU VIS

48. EXIT

Select 10) Exit ➡ 1) Exit

VASTU